

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

basic-code vector to composite-code vector

Search

[Advanced Search](#)  
[Preferences](#)



Web

Results **1 - 10** of about **23** for **basic-code vector to composite-code vector**. (0.28 seconds)

1. [Device and method for composing codes invention](#)

The ability to make selections out of a plurality of incoming **basic-code** vectors and to add intermediate-code vectors into a **composite-code vector**, ...

[www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306ptan20080059551.php](http://www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306ptan20080059551.php) - 32k - [Cached](#) - [Similar pages](#)

2. [Device and method for composing codes invention](#)

A device (100) arranged to compose **basic-code** vectors (102a, 102b up to and including 102n) into a **composite-code vector** (104), the device (100) ...

[www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306ptan20080059551.php?type=claims](http://www.freshpatents.com/Device-and-method-for-composing-codes-dt20080306ptan20080059551.php?type=claims) - 21k - [Cached](#) - [Similar pages](#)

[More results from www.freshpatents.com »](#)

3. [\(WO/2005/008474\) DEVICE AND METHOD FOR COMPOSING CODES](#)

A method for composing **basic-code** vectors (102a, 102b up to and including 102n) into a **composite-code vector** (104), the method comprising the steps of ...

[www.wipo.int/pctdb/en/wo.jsp?IA=IB2004051201&DISPLAY=CLAIMS](http://www.wipo.int/pctdb/en/wo.jsp?IA=IB2004051201&DISPLAY=CLAIMS) - 19k - [Cached](#) - [Similar pages](#)

4. [Error-correction encoding and decoding system - US Patent 5371750](#)

Therefore, code word  $C_y$  may be expressed as a **vector** ( $F_1$ , ... to an error generated at the information symbol of the **basic code** is called a "pseudo-error. ...

[www.patentstorm.us/patents/5371750-description.html](http://www.patentstorm.us/patents/5371750-description.html) - [Similar pages](#)

5. [Error-correction encoding and decoding system - Patent # 5371750 ...](#)

Therefore, code word  $C_{\text{sub}.y}$  may be expressed as a **vector** ( $F_{\text{sub}.1}$ , ... at the information symbol of the **basic code** is called a "pseudo-error. ...

[www.patentgenius.com/patent/5371750.html](http://www.patentgenius.com/patent/5371750.html) - 47k - [Cached](#) - [Similar pages](#)

6. [ERROR-CORRECTING ENCODING AND DECODING METHOD AND SYSTEM USING A ...](#)

wherein the code word of the **composite code** in the first direction is .... Therefore,

code word  $C_y$  after the superimposing is expressed as a **vector**  $(F_1 \dots$

[www.freepatentsonline.com/EP0471085.html](http://www.freepatentsonline.com/EP0471085.html) - [Similar pages](#)

by T INOUE - 1997 - [Cited by 29](#) - [Related articles](#) - [All 8 versions](#)

## 7. [Error-correction encoding and decoding system - Patent 5371750](#)

means for decoding the received **composite code** word along the first direction ....

Therefore, code word  $C_y$  may be expressed as a **vector**  $(F_1, F_2, \dots)$

[www.freepatentsonline.com/5371750.html](http://www.freepatentsonline.com/5371750.html) - [Similar pages](#)

by T Inoue - 1994 - [Cited by 29](#) - [Related articles](#) - [All 8 versions](#)

[More results from www.freepatentsonline.com >](#)

## 8. [\[PDF\] On Navigation and Analysis of Software Architecture Evolution](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Similar to the Ohlsson's GYR model, Elbaum and Munson used a **composite code**.

measurement called "code churn" to predict program components' future defects ...

[plg.uwaterloo.ca/~migod/supervision/QiangTu-MMathThesis-2002.pdf](http://plg.uwaterloo.ca/~migod/supervision/QiangTu-MMathThesis-2002.pdf) - [Similar pages](#)

by Q Tu - [Cited by 7](#) - [Related articles](#) - [All 2 versions](#)

## 9. [\[PDF\] HIRT LAYOUT](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**Basic Code** Design. Adler et al. [13, 16] have shown that a finite-state machine .... of

control **vector**  $Q$  that can be used to set initial conditions ...

[163.23.224.16/wireless/report\\_paper/lrDA-VFir%2016%20Mbs%20modulation%20code%20and%20system%20design.pdf](http://163.23.224.16/wireless/report_paper/lrDA-VFir%2016%20Mbs%20modulation%20code%20and%20system%20design.pdf) - [Similar pages](#)

## 10. [\[PDF\] Developing SQL and External Routines](#)


File Format: PDF/Adobe Acrobat

v A **vector** containing a null indicator for each parameter on the CALL. statement. ....

v Visual **Basic code** for a parameter style SQL procedure ...

[ftp://ftp.software.ibm.com/ps/products/db2/info/vr9/pdf/letter/en\\_US/db2a3e90.pdf](http://ftp.software.ibm.com/ps/products/db2/info/vr9/pdf/letter/en_US/db2a3e90.pdf)

- [Similar pages](#)



basic-code vector to composite-code vector

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼

[Sign in](#)



composite-code vector pdf

Search

[Advanced Search](#)  
[Preferences](#)



[Web Books](#)

Results 1 - 10 of about 732 for **composite-code vector pdf**. (0.19 seconds)

1. [Anomalous behavior associated with \*\*vector\*\* quantizing code books ...](#)

structured **composite code vector**. If the code book pdfs. for. LSF. 3. and. 4. are graphed together, they appear to be. reversed. That. is. the **pdf** for ...

[ieeexplore.ieee.org/iel5/6181/16503/00762343.pdf](#) - [Similar pages](#)  
by JS Collura - 1993

2. [Adaptive space-time chip-level equalization for WCDMA downlink ...](#)

-th branch, the new incoming output matrix. block. Y4`. 01. is first despread with the. §.  
-th base-station's pilot. **composite code vector** for the ...

[ieeexplore.ieee.org/iel5/7828/21516/00997126.pdf?arnumber=997126](#) - [Similar pages](#)  
by F Peire - 2002 - [Cited by 7](#) - [Related articles](#) - [All 4 versions](#)  
[More results from ieeexplore.ieee.org »](#)

3. [\(WO/2005/008474\) DEVICE AND METHOD FOR COMPOSING CODES](#)

use the **PDF** version for legal matters. CLAIMS: 1. ... word (118) is deployed to configure the additional operations on the **composite-code vector**. ...

[www.wipo.int/pctdb/en/wo.jsp?IA=IB2004051201&DISPLAY=CLAIMS](#) - 19k  
- [Cached](#) - [Similar pages](#)

4. [\(WO/2005/008474\) DEVICE AND METHOD FOR COMPOSING CODES](#)

use the **PDF** version for legal matters. Device and method for composing codes The ....  
An output of the device 100 comprises a **composite-code vector** 104. ...

[www.wipo.int/pctdb/en/wo.jsp?IA=WO2005008474&DISPLAY=DESC](#) - 38k  
- [Cached](#) - [Similar pages](#)

5. [Device and Method for Composing Codes - Patent 20080059551](#)

Images are available in **PDF** form when logged in. To view PDFs, Login or Create ....  
An output of the device 100 comprises a **composite-code vector** 104 . ...

[www.freepatentsonline.com/y2008/0059551.html](#) - [Similar pages](#)

6. [TDM speech transmission method with \*\*composite code\*\* inserted in one ...](#)

Images are available in **PDF** form when logged in. .... for the **vector** quantization, that the speech frames be at least around 0.6 ms long. ...

[www.freepatentsonline.com/EP0510573.html](#) - [Similar pages](#)  
by H Suda - 1997 - [All 3 versions](#)  
[More results from www.freepatentsonline.com »](#)

7. [\[PDF\] Adaptive Chip Equalization for DS-CDMA Downlink with Receive Diversity](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

By despreading (26) with the pilot **composite code vector**  $c_j$  p. [i] and by relying on the orthonormality of. the user and the pilot **composite code** vectors ...

<ftp://ftp.esat.kuleuven.ac.be/pub/SISTA/leus/reports/03-150.pdf> - [Similar pages](#)

by F Petre - [Cited by 1](#) - [Related articles](#) - [All 3 versions](#)

8. [Associative properties of a multichannel photon echo and optical ...](#)

multichannel SPE signals when the second pulse is the **composite code**. pulse ( $A'$  is the wave **vector** of the first unpolarised pulse;  $k'$  ...

[www.iop.org/EJ/article/1063-7818/25/10/A20/OEL\\_25\\_10\\_A20.pdf](http://www.iop.org/EJ/article/1063-7818/25/10/A20/OEL_25_10_A20.pdf) - [Similar pages](#)

by IS Bikbov - 1995 - [Cited by 5](#) - [Related articles](#) - [All 6 versions](#)

9.

[Information Theory and Applications: Third Canadian Workshop, ... - Google Books Result](#)

by T. Aaron Gulliver, Norman P. Secord - 1993 - Science - 394 pages

The period **vector** illustrated assumes that  $l_i=2$  and  $l_i/2=3$ . original one, ... For product codes, the Hamming distance of the **composite code** is equal to the ...

[books.google.com/books?isbn=3540579362...](http://books.google.com/books?isbn=3540579362...)

10. [\[PDF\] \\*EP001357693A1\\*](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

operation with the desired user's **composite code vector**  $c_m$ . [i] deterministically removes the MUI at each receive. antenna : ...

<https://.../PublicationServer/document/pdf.jsp?iDocId=5430313&iebug=.pdf>

- [Similar pages](#)



composite-code vector pdf

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▼



[Sign in](#)

composite-code vector pdf

Search

[Advanced Search](#)  
[Preferences](#)



Web

Results **11 - 20** of about **732** for **composite-code vector pdf**. (0.11 seconds)

1. [\[PDF\] Multi-carrier block-spread CDMA for broadband cellular downlink](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the user **composite code** sequence  $c_m[n]$ , which is the multi- ... user's **composite code vector** used to block-spread its data. symbol block  $s_m$  ...

[ens.ewi.tudelft.nl/~leus/papers/JASP04\\_2.pdf](#) - [Similar pages](#)

by F Petre - 2004 - [Cited by 6](#) - [Related articles](#) - [All 10 versions](#)

2. [\[PDF\] Space-Time Coding for Single-Carrier Block-Spread CDMA Cellular ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**composite code vector** used to spread its total data symbol. block  $s_m$ . [i]. Starting from the symbol level equivalent of (8), the ob- ...

[ftp://ftp.esat.kuleuven.ac.be/pub/SISTA/leus/reports/03-148.pdf](#) - [Similar pages](#)

by F Petre - [Cited by 1](#) - [Related articles](#) - [All 5 versions](#)

3. [\[PDF\] Multicarrier Block-Spread CDMA for Broadband Cellular Downlink](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

user's **composite code vector** used to block-spread its data. symbol block  $s_m$  ....

posite code **vector**  $c_m$ . [i] (we assume the  $m$ th user to be the ...

[www.hindawi.com/getpdf.aspx?doi=10.1155/s1110865704401048](#) - [Similar pages](#)

4. [EP1357693 Imec european software patent - Cdma transceiver ...](#)

is the  $m$ -th user's **composite code vector** used to block spread its data ... Indeed, by block despreading (11) with the desired user's **composite code vector** ...

[gauss.fii.org/PatentView/EP1357693](#) - 123k - [Cached](#) - [Similar pages](#)

5. [StorePriceBO](#)

Parameters: code\_qty - - the Map that consist of "item **composite code** - qty" key-value pairs: vid - - vendor id ... Returns: the **vector** of PriceDTO objects ...

[https://www.avetti.com/ac7javadoc/com/avetti/simplemerce/store/businessobjects/](#)

StorePriceBO.html - 54k - [Cached](#) - [Similar pages](#)

6. [Separable concatenated codes with iterative map filtering](#)

The noisy codeword enters the MAP "filter" as a **vector** of independent ... than performing true MAP decoding for the entire **composite code**. Consider the two- ...

[www.springerlink.com/index/f077h4r8717k233t.pdf](#) - [Similar pages](#)

by J Lodge - [Related articles](#) - [All 3 versions](#)

7. [\[PDF\] Agilent 89601A Vector Signal Analysis Software for W-CDMA and ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Signal analysis capabilities include **composite code**. domain power, composite time, .... composite signal are error **vector** time and error **vector**. spectrum. ...

[www.home.agilent.com/agilent/redirector.jsp?action=ref&](#)

[cname=AGILENT\\_EDITORIAL&ckey=574448&l...](#) - [Similar pages](#)

8. [Apple Assembly Line Volume 1 -- Issue 11 August, 1981 In This ...](#)

BRUNning sets up the ampersand **vector** at \$3F5-3F7 and returns. ... He chose 6 keys which can be "simultaneously" depressed to give a **composite code**. ...

[linux.cis.monroecccc.edu/~paulrsm/6502/AAL/AAL8108.TXT](#) - 41k

- [Cached](#) - [Similar pages](#)

9. [Copyright \(C\) The Apache Software Foundation. All rights reserved ...](#)

**Vector**; import java.lang.ref.WeakReference; /\*\* \* A modified version of Apache Batik's ... The `<code>Composite</code>` is used in all drawing methods such as ...  
[opensource.adobe.com/.../flex/sdk/trunk/modules/swfutils/src/java/flash/graphics/g2d/GraphicContext.java](#) - 13k - [Cached](#) - [Similar pages](#)

10. [Lloyd clustering of Gauss mixture models for image compression and ...](#)

(pdf) f for a generic random **vector** X: The **vector**. X is encoded into a binary code **vector** .... zer [58] or **composite code**: we design a separate. code, say Q ...

[linkinghub.elsevier.com/retrieve/pii/S0923596505000135](#) - [Similar pages](#)

by A Aiyer - 2005 - [Cited by 18](#) - [Related articles](#) - [All 5 versions](#)

composite-code vector pdf

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Try Google Experimental](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Privacy](#) - [About Google](#)